# Index of Authors


AHMED, I. *see* ROTIMI, V. O.
ANDERSON, H. R. *see* JOHNSTON, I. D. A.
ANDERSON, R. M. and MAY, R. M. Age-related changes in the rate of disease transmission: implications for the design of vaccination programmes, 365
ÅNESTAD, G. Surveillance of respiratory viral infections by rapid immunofluorescence diagnosis, with emphasis on the epidemiological development of respiratory syncytial virus infections, 349
AUXILIADORA DE SOUSA, M. *see* KIRCHHOFF, L. V.

BARCLAY, E. A. *see* FROST, J. A.
BASSETT, D. C. J. *see* REID, H. F. M.
BERDAL, B. P. *see* SOMMER, A. I.
BERRÓN, S. *see* MARTÍN-BOURGON, C.
BETTELHEIM, K. A. *see* MARSHALL, R. B.
BEYER, W. E. P. and MASUREL, N. Antigenic heterogeneity among influenza A(H3N2) field isolates during an outbreak in 1982/83, estimated by methods of numerical taxonomy, 97
BOLTON, F. J. *see* HUTCHINSON, D. N.
BRUN, Y. *see* MELCONIAN, A. K.

CALDER, I. M. *see* GILL, O. N
CASAL, J. *see* MARTÍN-BOURGÓN, C.
CASAL, J. *see* SAEZ-NIETO, J. A.
CHOPRA, GIRISH and PARSHAD, V. R. Evaluation of coumatetralyl against two predominant murid species, 327
CLARK, A. *see* JENNINGS, R.
COETZEE, E. F. C. *see* GREENWOOD, M. H.
COGHLAN, J. D. *see* GILL, O. N.
COLLINS, C. H. *see* GRANGE, J. M.
COLLINS, C. H., GRANGE, J. M., NOBLE, W. C. and YATES, M. D. *Mycobacterium marinum* infections in man, 135
COUNTER, D. E. *see* HUTCHINSON, D. N.
CRISTOBAL, P. *see* SAEZ-NIETO, J. A.

DALRYMPLE, J. M. *see* SOMMER, A. I.
DAVIES, F. G., KOROS, J. and MBUGUA, H. Rift Valley Fever in Kenya: the presence of antibody to the virus in camels (*Camelus dromedarius*), 241
DAWKINS, H. C. *see* HUTCHINSON, D. N.
DEHELE, Y. *see* NEWELL, D. G.
DO CARMO PINHO, M. *see* KIRCHHOFF, L. V.
DOMINGUEZ, J. R. *see* SAEZ-NIETO, J. A.
DONATO, A. P. *see* HOMAN, E. J.

EASTER, M. C. and GIBSON, D. M. Rapid and automated detection of salmonella by electrical measurements, 245
EZEOKOLI, C. D. *see* UMOH, J. U.

FENOLL, A. *see* SAEZ-NIETO, J. A.
FLEISHER, J. M. Implications of coliform variability in the assessment of the sanitary quality of recreational waters, 193
FLEURETTE, J. *see* MELCONIAN, A. K.
FORD, B. M. *see* GREENWOOD, M. H.
FROST, J. A., WILLSHAW, G. A., BARCLAY, E. A., ROWE, B., LEMMENS, P. and VANDEPITTE, J. Plasmid characterization of drug-resistant *Shigella dysenteriae* 1 from an epidemic in Central Africa, 163

GALBA ARAUJO, J. *see* KIRCHHOFF, L. V.
GIBSON, D. M. *see* EASTER, M. C.
GILL, O. N., COGHLAN, J. D. and CALDER, I. M. The risk of leptospirosis in United Kingdom fish farm workers. Results from a 1981 serological survey, 81
GILL, P. *see* GREENWOOD, M. H.
GRAHAM, M. M. *see* LINKLATER, K. A.
GRANGE, J. M. *see* COLLINS, C. H.
GRANGE, J. M., YATES, M. D. and COLLINS, C. H. Subdivision of *Mycobacterium tuberculosis* for epidemiological purposes: a seven year study of the 'Classical' and 'Asian' types of the human tubercle bacillus in South-East England, 9
GREENWOOD, M. H., COETZEE, E. F. C., FORD, B. M., GILL, P., HOOPER, W. L., MATTHEWS, S. C. W. and PATRICK, S. The microbiology of cooked prawns and shrimps on retail sale, 319
GROSS, R. J., ROWE, B. and THRELFALL, E. J. *Escherichia coli* 0142.H6; a drug-resistant enteropathogenic clone? 181
GUERRANT, R. L. *see* KIRCHHOFF, L. V.

HINCHLIFFE, P. M. *see* HUTCHINSON, D. N.
HO, B. S. W. and WONG, W. T. A one-year survey of campylobacter enteritis and other forms of bacterial diarrhoea in Hong Kong, 55
HOMAN, E. J., LORBACHER DE RUIZ, H., DONATO, A. P., TAYLOR, W. P. and YUILL, T. M. A preliminary survey of the epidemiology of bluetongue in Costa Rica and Northern Columbia, 357
HOOPER, W. L. *see* GREENWOOD, M. H.
HORSLEY, S. D. *see* HUTCHINSON, D. N.
HUTCHINSON, D. N., BOLTON, F. J., HINCHLIFFE, P. M., DAWKINS, H. C., HORSLEY, S. D., JESSOP, E. G., ROBERTSHAW, P. A. and COUNTER, D. E. Evidence of udder excretion of *Campylobacter jejuni* as the cause of milk-borne campylobacter outbreak, 205

JENNINGS, R. *see* PEMBERTON, R. M.
JENNINGS, R., SMITH, T. L., MELLERSH, A. R., CLARK, A., SPENCER, R. C. and POTTER, C. W. Antibody response and persistence in volunteers following immunization with varying dosages of a trivalent surface antigen influenza virus vaccine, 87
JESSOP, E. G. *see* HUTCHINSON, D. N.
JOHNSTON, I. D. A., ANDERSON, H. R. and LAMBERT, H. P. The severity of whooping cough in hospitalized children – is it declining?, 151

KIRCHHOFF, L. V., MCCLELLAND, K. E., DO CARMO PINHO, M., GALBA ARAUJO, J., AUXILIADORA DE SOUSA, M. and GUERRANT, R. L. Feasibility and efficacy of in-home water chlorination in rural North-eastern Brazil, 173
KLEEMOLA, M. *see* PYHÄLÄ, R.
KOROS, J. *see* DAVIES, F. G.

LAMBERT, H. P. *see* JOHNSTON, I. D. A.
LEMMENS, P. *see* FROST, J. A.
LINKLATER, K. A., GRAHAM, M. M. and SHARP, J. C. M. Salmonellae in sewage sludge and abattoir effluent in South-east Scotland, 301
LORBACHER DE RUIZ, H. *see* HOMAN, E. J.

MCBRIDE, H. *see* NEWELL, D. G.
MCCLELLAND, K. E. *see* KIRCHHOFF, L. V.
MCHARDY, C. J. *see* SPELMAN, D. W.
MARSHALL, R. B., WINTER, P. J., ROBINSON, A. J. and BETTELHEIM, K. A. A study of enterotoxigenic *Escherichia coli*, serogroup 0126, by bacterial restriction endonuclease DNA analysis (BRENDA), 263
MARTÍN-BOURGON, C., BERRÓN, S. and CASAL, J. Hospital infection caused by non-typable *Staphylococcus aureus*: application of reverse typing, 201
MASUREL, N. *see* BEYER, W. E. P.

MATTHEWS, S. C. W. *see* GREENWOOD, M. H.
MAY, R. M. *see* ANDERSON, R. M.
MBUGUA, H. *see* DAVIES, F. G.
MEHL, R. *see* SOMMER, A. I.
MEHL, R. *see* TRAAVIK, T.
MELCONIAN, A. K., FLEURETTE, J. and BRUN, Y. Studies on staphylococci from toxic shock syndrome in France, 1981–1983, 23
MELLERSH, A. R. *see* JENNINGS, R.
MONTON, J. L. *see* SAEZ-NIETO, J. A.

NEWELL, D. G., MCBRIDE, H., SAUNDERS, F., DEHELE, Y. and PEARSON, A. D. The virulence of clinical and environmental isolates of *Campylobacter jejuni*, 45
NOBLE, W. C. *see* COLLINS, C. H.

OKOH, A. E. J. *see* UMOH, J. U.
OLOWE, S. A. *see* ROTIMI, V. O.
OXFORD, J. S. Biochemical techniques for the genetic and phenotypic analysis of viruses: 'Molecular Epidemiology', 1

PARSHAD, V. R. *see* CHOPRA, GIRISH
PATRICK, S. *see* GREENWOOD, M. H.
PEARSON, A. D. *see* NEWELL, D. G.
PEMBERTON, R. M., JENNINGS, R. and SMITH, T. L. Morphology and antigenicity studies on reassortant influenza (H3N2) viruses for use in inactivated vaccines, 229
POON-KING, T. *see* REID, H. F. M.
POTTER, C. W. *see* JENNINGS, R.
PYHÄLÄ, R., KLEEMOLA, M. AND VISAKORPI, R. The HI test modified by ether treatment in the sero-epidemiological surveillance of influenza B, 341

READ, S. E. *see* REID, H. F. M.
REID, H. F. M., BASSETT, D. C. J., POON-KING, T., ZABRISKIE, J. B. and READ, S. E. Group G streptococci in healthy school-children and in patients with glomerulonephritis in Trinidad, 61
ROBERTS, DIANE. Microbiological aspects of goat's milk. A Public Health Laboratory Service survey, 31
ROBERTSHAW, P. A. *see* HUTCHINSON, D. N.
ROBINSON, A. J. *see* MARSHALL, R. B.
ROTIMI, V. O., OLOWE, S. A. and AHMED, I. The development of bacterial flora of premature neonates, 309
ROWE, B. *see* GROSS, R. J.
ROWE, B. *see* FROST, J. A.

SAEZ-NIETO, J. A., DOMINGUEZ, J. R., MONTON, J. L., CRISTOBAL, P., FENOLL, A., VAZQUEZ, J., CASAL, J. and TARACENA, B. Carriage of *Neisseria meningitides* and *Neisseria lactamica* in a school population during an epidemic period in Spain, 279
SAUNDERS, F. *see* NEWELL, D. G.
SHARP, J. C. M. *see* LINKLATER, K. A.
SHEENA, A. Z. *see* STILES, M. E.
SILLIS, M. *see* WREGHITT, T. G.
SMITH, M. G. The generation time, lag time, and minimum temperature of growth of coliform organisms on meat, and the implications for codes of practice in abattoirs, 289
SMITH, T. L. *see* JENNINGS, R.
SMITH, T. L. *see* PEMBERTON, R. M.
SOMMER, A. I., TRAAVIK, T., MEHL, R., BERDAL, B. P. and DALRYMPLE, J. M. Reservoir animals for nephropathia epidemica in Norway: indications of a major role for the bank vole (*C. glareolus*) in comparison with the woodmouse (*A. sylvaticus*), 123
SPELMAN, D. W. and MCHARDY, C. J. Concurrent outbreaks of influenza A and influenza B, 331

SPENCER, R. C. *see* JENNINGS, R.
STILES, M. E. and SHEENA, A. Z. Efficacy of low-concentration iodophors for germicidal hand washing, 269

TARACENA, B. *see* SAEZ-NIETO, J. A.
TAYLOR, W. P. *see* HOMAN, E. J.
THRELFALL, E. J. *see* GROSS, R. J.
TRAAVIK, T. *see* SOMMER, A. I.
TRAAVIK, T., MEHL, R. and WIGER, R. Mosquito-borne arboviruses in Norway: further isolations and detection of antibodies to California encephalitis viruses in human, sheep and wildlife sera, 111

UMOH, J. U., EZEOKOLI, C. D. and OKOH, A. E. J. Immunofluorescent staining of trypsinized formalin-fixed brain smears for rabies antigen: results compared with those obtained by standard methods for 221 suspect animal cases in Nigeria, 129

VANDEPITTE, J. *see* FROST, J. A.
VAZQUEZ, J. *see* SAEZ-NIETO, J. A.
VISAKORPI, R. *see* PYHÄLÄ, R.

WATSON, G. N. The assessment and application of a bacteriocin typing scheme for *Clostridium perfringens*, 69
WIGER, R. *see* TRAAVIK, T.
WILLSHAW, G. A. *see* FROST, J. A.
WINTER, P. J. *see* MARSHALL, R. B.
WONG, W. T. *see* HO, B. S. W.
WREGHITT, T. G. and SILLIS, M. A $\mu$-capture ELISA for detecting *Mycoplasma pneumoniae* IgM: comparison with indirect immunofluorescence and indirect ELISA, 217

YATES, M. D. *see* COLLINS, C. H.
YATES, M. D. *see* GRANGE, J. M.
YUILL, T. M. *see* HOMAN, E. J.

ZABRISKIE, J. B. *see* REID, H. F. M.

# Index of Subjects

Abattoirs, the generation time, lag time, and minimum temperature of growth of coliform organisms on meat, and the implications for codes of practice in, 289
Arboviruses, mosquito-borne, in Norway: further isolates and detection of antibodies to California encephalities viruses in human, sheep and wildlife sera, 111

Bacteriocin, the assessment and application of a, typing scheme for *Clostridium perfringens*, 69
Bluetongue, a preliminary survey of the epidemiology of, in Costa Rica and Northern Colombia, 357
*Bordetella pertussis*, the severity of whooping cough in hospitalized children – is it declining?, 151

California encephalitis viruses, mosquito-borne arboviruses in Norway: further isolations and detection of antibodies to, in human, sheep and wildlife sera, 111
Camels, Rift Valley Fever in Kenya: the presence of antibody to the virus in (*Camelus dromedarius*), 241
Campylobacter, a one-year survey of, enteritis and other forms of bacterial diarrhoea in Hong Kong, 55
*Campylobacter jejuni*, evidence of udder excretion of, as the cause of milk-borne campylobacter outbreak, 205
*Campylobacter jejuni*, the virulence of clinical and environmental isolates of, 45
*Clostridium perfringens*, the assessment and application of a bacteriocin typing scheme for, 69
Coumatetralyl, evaluation of, against two predominant murid species, 327

Diarrhoea, a one-year survey of campylobacter enteritis and other forms of bacterial, in Hong Kong, 55

Electrical measurements, rapid and automated detection of salmonella by, 245
Enterotoxigenic, a study of, *Escherichia coli*, serogroup 0126, by bacterial restriction endonuclease DNA analysis (BRENDA), 263
*Escherichia coli*, a study of enterotoxigenic, serogroup 0126, by bacterial restriction endonuclease DNA analysis (BRENDA), 263
*Escherichia coli* 0142 . H6; a drug-resistant enteropathogenic clone?, 181

Fish farm workers, the risk of leptospirosis in United Kingdom. Results from a 1981 serological survey, 81

Glomerulonephritis, group G streptococci in healthy school-children and in patients with, in Trinidad, 61
Goat's milk, microbiological aspects of. A Public Health Laboratory Service survey, 31

Hand washing, efficacy of low-concentration iodophors for germicidal, 269

Immunization, antibody response and persistence in volunteers following, with varying dosages of a trivalent surface antigen influenza virus vaccine, 87
Influenza A, concurrent outbreaks of, and influenza B, 331
Influenza A (H3N2), antigenic heterogeneity among, field isolates during an outbreak in 1982/83, estimated by methods of numerical taxonomy, 97
Influenza B, concurrent outbreaks of influenza A and, 331
Influenza B, the HI test modified by ether treatment in the sero-epidemiological surveillance of, 341
Influenza, morphology and antigenicity studies of reassortant (H3N2) viruses for use in inactivated vaccines, 229
Influenza virus vaccine, antibody responses and persistence in volunteers following immunization with varying dosages of a trivalent surface antigen, 87
Iodophors, efficacy of low-concentration, for germicidal hand washing, 269

Leptospirosis, the risk of, in United Kingdom fish farm workers. Results from a 1981 serological survey, 81

Meat, the generation time, lag time, and minimum temperature of growth of coliform organisms on, and the implications for codes of practice in abattoirs, 289
Milk, evidence of udder excretion of *Campylobacter jejuni* as the cause of -borne campylobacter outbreak, 205
Milk, microbiological aspects of goat's. A Public Health Laboratory Service survey, 31
Molecular Epidemiology, biochemical techniques for the genetic and phenotypic analysis of viruses, 1
Mosquito-borne arboviruses in Norway: further isolations and detection of antibodies to California encephalitis viruses in human, sheep and wildlife sera, 111
*Mycobacterium marinum* infections in man, 135
*Mycobacterium tuberculosis*, subdivision of, for epidemiological purposes: a seven year study of the 'Classical' and 'Asian' types of the human tubercle bacillus in South-East England, 9
*Mycoplasma pneumonia* IgM, a $\mu$-capture ELISA for detecting; comparison with indirect immunofluorescence and indirect ELISA, 217

*Neisseria lactamica*, carriage of *Neisseria meningitides* and, in a school population during an epidemic period in Spain, 279
*Neisseria meningitides*, carriage of, and *Neisseria lactamica* in a school population during an epidemic period in Spain, 279
Neonates, the development of bacterial flora of premature, 309
Nephropathia epidemica, reservoir animals for, in Norway: indications of a major role for the bank vole (*C. glareolus*) in comparison with the woodmouse (*A. sylvaticus*), 123
Numerical taxonomy, antigenic heterogeneity among influenza A (H3N2) field isolates during an outbreak in 1982/83, estimated by methods of, 97

Prawns, the microbiology of cooked, and shrimps on retail sale, 319

Rabies, immunofluorescent staining of trypsinized formalin-fixed brain smears for, antigen: results compared with those obtained by standard methods for 221 suspect animal cases in Nigeria, 129
Recreational waters, implications of coliform variability in the assessment of the sanitary quality of, 193
Respiratory syncytial virus, surveillance of respiratory viral infections by rapid immunofluorescence diagnosis with emphasis on the epidemiological development of, infections, 349
Rift Valley Fever in Kenya: the presence of antibody to the virus in camels (*Camelus dromedarius*), 241

Salmonella, rapid and automated detection of, by electrical measurements, 245
Salmonellae in sewage sludge and abattoir effluent in South-east Scotland, 301
Sewage sludge, salmonella in, and abattoir effluent in South-east Scotland, 301
*Shigella dysenteriae* 1, plasmid characterization of drug-resistant, from an epidemic in Central Africa, 163
Shrimps, the microbiology of cooked prawns and, on retail sale, 319
Staphylococci, studies on, from toxic shock syndrome in France, 1981–1983, 23
*Staphylococcus aureus*, hospital infection caused by non-typable: application of reverse typing, 201
Streptococci, group G, in healthy school-schildren and in patients with glomerulonephritis in Trinidad, 61

Toxic shock syndrome, studies on staphylococci from, in France, 1981–1983, 23

Vaccination programmes, age-related changes in the rate of disease transmission: implications for the design of, 365
Vaccines, morphology and antigenicity studies on reassortant influenza (H3N2) viruses for use in inactivated, 229

Water chlorination, feasibility and efficacy of in-home, in rural North-eastern Brazil, 173
Waters, implications of coliform variability in the assessment of the sanitary quality of recreational, 193
Whooping cough, the severity of, in hospitalized children – is it declining?, 151

# THE JOURNAL OF HYGIENE